

seth.manav@gmail.com | [My Account](#) | [Sign out](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

nail conditions, image analysis, dermatology

[Advanced Search](#)
[Preferences](#)

Web Results **21 - 30** of about **93,500** for **nail conditions, image analysis, dermatology**. (0.15 seconds)

Tip: Looking for pictures? Try [Google Images](#)

Skinematic spotlight: Star Wars Skin

We now turn the skinematic spotlight on a specific film, trend or series that highlights **conditions** of the skin, hair and **nails**... ..

itsb.ucsf.edu/vcr/Spot7.html - 14k - [Cached](#) - [Similar pages](#)

Medgadget.com -- Internet Journal of Emerging Medical Technologies

"We used cryomicroscopy and **image analysis** to examine the native ... this Medgadgeteer found himself in need of a **nail** trephination - poking a hole through ...

www.medgadget.com/index.php?page=3 - 106k - [Cached](#) - [Similar pages](#)

[PDF] BOOK REVIEW. Image Analysis. A Primer for Pathologists.AM ...

File Format: PDF/Adobe Acrobat

and optical scientist, mean by '**image analysis**' is everything to ... to either a pathology or a **dermatology** library, although ...

[doi.wiley.com/10.1002/\(SICI\)1096-9896\(199601\)178:1%3C106::AID-PATH464%3E3.0.CO;2-P](http://doi.wiley.com/10.1002/(SICI)1096-9896(199601)178:1%3C106::AID-PATH464%3E3.0.CO;2-P) - [Similar pages](#)

Arch Pediatr Adolesc Med -- Topic Collections : Dermatology

ANTIRHEUMATIC TREATMENT OF PSORIASIS OF THE FINGER **NAILS**. ... The Performance of SolarScan: An Automated Dermoscopy **Image Analysis** Instrument for the ...

archpedi.ama-assn.org/cgi/collection/dermatol?notjournal=archpedi,amajnl&page=24 - [Similar pages](#)

Dermatology | OSU College of Veterinary Medicine

The **Dermatology** Service at the Veterinary Teaching Hospital at Ohio State offers ... for all diseases affecting the skin, ears, **nails** and mucosal surfaces ...

vet.osu.edu/917.htm - 13k - [Cached](#) - [Similar pages](#)

Canada's skin specialists on the endangered species list

"**Dermatology**" frequently conjures up an **image** of cosmetic or laser surgery. However, as Dr Gordon Searles (director of the survey **analysis**) says, ...

www.dermatology.ca/english/news/july15-2003_e.html - 9k - [Cached](#) - [Similar pages](#)

Treatment Failures and Relapses in Onychomycosis: A Stubborn ...

1. Fungi in a **nail** scraping. Viable cells are stained by the neutral red vital stain. ... load can be performed using computer-assisted **image analysis** (fig. ...

content.karger.com/ProdukteDB/produkte.asp?Aktion=ShowFulltext&ProduktNr=224164&Ausgabe=229535&am... - [Similar pages](#)

[PDF] Treatment Failures and Relapses in Onychomycosis: A Stubborn ...

File Format: PDF/Adobe Acrobat

Dermatology 2003;207:255-260. 257. Fig. 1. Fungi in a **nail** scraping. ... using **image analysis**. expertise with which material is sampled for laboratory ...

content.karger.com/ProdukteDB/produkte.asp?Aktion=ShowPDF&ProduktNr=224164&Ausgabe=229535&Art... - [Similar pages](#)


[[More results from content.karger.com](#)]

Listing by Alphabetical Subject Heading: **Dermatology**

AcneNet is one in a series of skin, hair and **nails** disorder Web sites produced by the ...
DOIA (**Dermatology** Online Atlas) is a dermatologic **image** database, ...
omni.ac.uk/browse/subject-listing/WR100.html - 355k - [Cached](#) - [Similar pages](#)

Alopecia areata - pattern in industrial city of Baroda Jain S ...

Department of **Dermatology**, Venereology and Leprology, SSG Hospital, Baroda. ... **Nail**
involvement though not common but is in form of pitting. ...
www.ijdv1.com/article.asp?issn=0378-6323;
year=2003;volume=69;issue=2;spage=81;epage=82;aualast=Jain - 37k -
[Cached](#) - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



PubMed Central
An archive of life sciences journals

My NCBI
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Journals](#)[Books](#)Search **PMC**for **skin defects, hair defects and nail defects analysis**[Preview](#)[Go](#)[Clear](#)[Limits](#)[Preview/Index](#)**[History](#)**[Clipboard](#)[Details](#)[About Entrez](#)[PubMed Central](#)[About PMC](#)[Help | FAQ](#)[Journal List](#)[Citation Search](#)[Utilities](#)[Related Resources](#)[PubMed](#)[My NCBI](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[NIHMS System](#)

- Search History will be lost after eight hours of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.
- Click on query # to add to strategy

Search**Most Recent Queries****Time Result**[#7](#) Search **skin defects, hair defects and nail defects analysis**18:40:44 [54](#)[#6](#) Search **skin, hair and nail analysis**18:40:09 [173](#)[#5](#) Search **skin, hair and nail microscopy**18:38:30 [59](#)[Clear History](#)[Privacy Policy](#)[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Jul 6 2006 07:09:19

seth.manav@gmail.com | [My Account](#) | [Sign out](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

skin conditions, apply powder, extract skin defi

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 16,900 for **skin conditions, apply powder, extract skin defects, image analysis**

Tip: Looking for pictures? Try [Google Images](#)

Scholarly articles for **skin conditions, apply powder, extract skin defects, image analysis, dermatology**



[3D Imaging and Its Derivatives in Clinical Research and ...](#) - by Zonneveld - 3 citations

[Pharmaceutical compositions and methods for improving wrinkles and ...](#)

A method for the prevention or treatment of **skin conditions**, wherein the **skin** has a ...

Example 4: **Image Analysis** The texture of the **skin**, fine lines, ...

www.freepatentsonline.com/5804594.html - 83k - [Cached](#) - [Similar pages](#)

[Pharmaceutical compositions for reducing the appearance of ...](#)

Cellulite is a cosmetic/medical **condition** caused by **defects** in the **skin** that ... Quercetin

Powder 2.4 20 Quercetin dihydrate Grape Seed **Extract** 0.9 7.5 ...

www.freepatentsonline.com/6358539.html - 105k - [Cached](#) - [Similar pages](#)

[Professional Beauty Network -- Link Directory](#)

Dermatologist Cosmetic Surgery - **Skin** Laser Surgery , Permanent Laser hair removal ...

exclusive services including a patented **skin condition analysis**, ...

www.professionalbeauty.net/links/default.html - 118k - [Cached](#) - [Similar pages](#)

[primucorsu's Blog](#)

To test a product, **apply** a small amount of the product on a nickel-sized area of **skin** on the bend of your arm twice a day for 7 days in a row. ...

italianfriendfinder.com/blog/primucorsu/ - 118k - [Cached](#) - [Similar pages](#)

[Life Science Weekly \(2005-07-05\) | NewsRx](#)

Medical Devices - Lab device maker extends slide **image analysis** capabilities ... Prosthetic

Limbs - Lower limb prosthesis-related **skin** problems ...

[www.newsrx.com/newsletters/ Life-Science-Weekly/2005-07-05.html](http://www.newsrx.com/newsletters/Life-Science-Weekly/2005-07-05.html) - 343k -

[Cached](#) - [Similar pages](#)

[Tissue Regeneration Using Macrophage Migration Inhibitory Factor ...](#)

We examined the appearance of the **skin** wound until the full epithelial surface in ...

Quantitative densitometric **analysis** was performed using an MCID **image** ...

ajp.amjpathol.org/cgi/content/full/167/6/1519 - [Similar pages](#)

[Research News - Dietary Supplements - Health Benefits - Safety](#)

(November 2002): Common Spice May Protect **Skin** During Radiation Therapy:

Researchers have found that curcumin, a compound found in turmeric and curry **powder** ...

www.supplementquality.com/efficacy/index.html - 68k - [Cached](#) - [Similar pages](#)

[Organic Skin Care](#)

A. Those with **skin** allergies, sensitive **skin**, chronic medical **conditions** and ... According to the Journal of Investigative **Dermatology**, SLS produced **skin** ...

organic-skin-care.blogspot.com/ - 133k - [Cached](#) - [Similar pages](#)

Scleroderma (Systemic Sclerosis) - Abstracts : Online Reference ...

In active focal scleroderma the ointment was applied to the **skin** lesions. ... been used for many years in Europe for the treatment of wound healing **defects**. ...

www.lef.org/protocols/abstracts/abstr-127.html - 84k - [Cached](#) - [Similar pages](#)

[PDF] 81st Annual Meeting of the Swiss Society for Dermatology and ...

File Format: PDF/Adobe Acrobat

defect, and considerably reduces the period of healing of **skin** wounds ... according to clinical and **skin** prick test results to C. comatus **extract**. ...

content.karger.com/ProdukteDB/produkte.asp?Aktion=ShowPDF&ProduktNr=224164&Ausgabe=225585&Art... - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Get the search results most relevant to you. [Enable Personalized Search](#).

skin conditions, apply powder, extract skin defects, image analysis, dermatology

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [si](#)

SPIE Digital Library

Proceedings

Journals

SPIE—The International
Society for Optical Engineering

[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Arti](#)
[Home](#) » [Advanced Search](#) » [Search Results](#)

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

Search

Advanced Search

BROWSE PROCEEDINGS

☒ Proceedings☐ By Year☐ By Symposium☐ By Volume No.☐ By Volume Title☐ By Technology

BROWSE JOURNALS

☒ Journals☐ Optical Engineering☐ J. Electronic Imaging☐ J. Biomedical Optics☐ J. Microlithography,

Microfabrication,

and Microsystems

SUBSCRIPTIONS &
PRICING☒ Institutions &
Corporations☒ Personal
subscriptions

GENERAL INFORMATION

☒ About the Digital
Library☒ Terms of Use☒ SPIE Home

Search Results

You were searching for : (skin conditions, powder, image)

You found 71585 out of 223635 (500 returned)

Documents 1 - 25 listed on this page

Refine your query if desired:

AND

in Abstract/Title/Keywords

Results Sorting Options

Relevance Order

Re-sort

Options for selected Articles

Check Article(s) then ...

Go

Adding to MyArticles will open a second window (Scitation login required).

[Related SPIE Products]

[\[1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | Next 25 | More Results \]](#)

68%

- ☐ **High-sensitivity and cost-effective system for infrared imaged concealed objects in dynamic mode**
E. Gordiyenko, V. Yefremenko, J. Pearson, S. D. Bader, and V. N. Proc. SPIE **5778**, 103 (2005) **Full Text:** [PDF (364 kB)]

67%

- ☐ **Superresolution performance for undersampled imagers**
Ronald G. Driggers, Keith Krapels, Steve Murrill, Susan Young, M. Thielke, and Jonathon Schuler
Opt. Eng. **44**, 014002 (2005) **Full Text:** [HTML PDF (443 (9 pages))]

67%

- ☐ **Adaptive target detection in forward-looking infrared imaging using the eigenspace separation transform and principal component analysis**
S. Susan Young, Heesung Kwon, Sandor Z. Der, and Nasser M. P. Opt. Eng. **43**, 1767 (2004) **Full Text:** [HTML PDF (462 kB pages)]

67%

- ☐ **Influences of powder specifications and powder delivery on and powder particle interaction during the LRF process**
Jing Chen, Haiou Yang, Xin Lin, and Weidong Huang
Proc. SPIE **5629**, 103 (2005) **Full Text:** [PDF (313 kB)]

pages)

- 67%** 5. ☐ **Alias-free image subsampling using Fourier-based window methods**
S. Susan Young
Opt. Eng. **43**, 843 (2004) **Full Text:** [[HTML](#) [PDF \(697 kB\)](#)]
pages)
- 67%** 6. ☐ **High-speed photography applied to the laser-cladding process**
Fabrice Meriaudeau, Frederic Truchetet, and Christophe Dumont
Proc. SPIE **2869**, 994 (1997) **Full Text:** [[PDF \(460 kB\)](#)]
pages)
- 66%** 7. ☐ **Depth-dependent phosphor blur in indirect x-ray imaging**
Aldo Badano and Rachel Leimbach
Proc. SPIE **4682**, 94 (2002) **Full Text:** [[PDF \(459 kB\)](#)] (
- 66%** 8. ☐ **Enhanced imaging process for xeroradiography**
William D. Fender and Eddie M. Zanrosso
Proc. SPIE **1896**, 9 (1993) **Full Text:** [[PDF \(2214 kB\)](#)] (
- 66%** 9. ☐ **Quantitative analysis of packed and compacted granular samples by x-ray microtomography**
Xiaowei Fu, Georgina E. Milroy, Meenakshi Dutt, A. Craig Benthia
C. Hancock, and James A. Elliott
Proc. SPIE **5747**, 1955 (2005) **Full Text:** [[PDF \(810 kB\)](#)]
pages)
- 66%** 10. ☐ **Region of interest identification in collimated x-ray images utilizing nonlinear preprocessing and the Radon transform**
Rishit Sheth, Kenneth E. Barner, Richard P. Schumeyer, and Gor Arce
J. Electron. Imaging **14**, 033011 (2005) **Full Text:** [[HTML](#) [PDF \(1160 kB\)](#)] (13 pages)
- 66%** 11. ☐ **Telediagnosis through internet on the field of complementary alternative medicine**
Iwane Mitsui, Yoshiya Yamada, and Yoko Yagi
Proc. SPIE **5749**, 454 (2005) **Full Text:** [[PDF \(285 kB\)](#)]
- 66%** 12. ☐ **Effect on DQE of screen energy weighting in mammography**
Robert J. Jennings and Aldo Badano
Proc. SPIE **5030**, 319 (2003) **Full Text:** [[PDF \(163 kB\)](#)]
- 66%** 13. ☐ **Powder flow and catchment during coaxial laser cladding**
Jehmming Lin and William M. Steen
Proc. SPIE **3097**, 517 (1997) **Full Text:** [[PDF \(1104 kB\)](#)]
pages)

- 66% 14. ☐ **Analysis of microparticle penetration into human and porc non-invasive imaging with multiphoton excitation microsc**
William J. Mulholland, Mark A. Kendall, Brian J. Bellhouse, and N
Proc. SPIE **4620**, 113 (2002) **Full Text:** [PDF (318 kB)]
pages)
- 66% 15. ☐ **Adaptive multisensor target detection using feature-baser**
Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi
Opt. Eng. **41**, 69 (2002) **Full Text:** [HTML PDF (1120 kB)
pages)
- 66% 16. ☐ **ZBLAN-based x-ray storage phosphors and scintillators fo**
x-ray imaging
Gang Chen, Jacqueline A. Johnson, Richard Weber, Stefan Schw
Douglas MacFarlane, John Woodford, and Francesco De Carlo
Proc. SPIE **5745**, 1351 (2005) **Full Text:** [PDF (414 kB)]
pages)
- 65% 17. ☐ **Synthetic aperture radar target acquisition model based o**
National Imagery Interpretability Rating Scale to probabil
discrimination conversion
Ronald G. Driggers, James A. Ratches, Jon C. Leachtenauer, and
W. Kistner
Opt. Eng. **42**, 2104 (2003) **Full Text:** [HTML PDF (477 kB)
pages)
- 65% 18. ☐ **THz imaging applications**
Adrian Dobroiu, Kodo Kawase, Yuichi Ogawa, Masatsugu Yamash
Chiko Otani
Proc. SPIE **6038**, 60380K (2005) **Full Text:** [PDF (720 kB)
pages)
- 65% 19. ☐ **DPIV method of measurement of powder stream by co-axi**
feeding for laser manufacturing
Xi-chen Yang, Hui-shan Li, Jian-bo Lei, and Yun-shan Wang
Proc. SPIE **5629**, 93 (2005) **Full Text:** [PDF (400 kB)] (
- 65% 20. ☐ **Thin film phosphor screens on fiber optic faceplates**
Peter K. Soltani, Daniel T. Brower, and George M. Storti
Proc. SPIE **1243**, 114 (1990) **Full Text:** [PDF (253 kB)]
- 65% 21. ☐ **New high-speed scanning technique for computed radiogr**
Ralph Schaetzing, Robert Fasbender, and Peter Kersten
Proc. SPIE **4682**, 511 (2002) **Full Text:** [PDF (303 kB)]
pages)
- 65% 22. ☐ **Powder retection with T-ray imaging**
Bradley S. Ferguson, Shaohong Wang, Hua Zhong, Derek Abbott
Cheng Zhang
Proc. SPIE **5070**, 7 (2003) **Full Text:** [PDF (832 kB)] (1

- 65% 23. ☐ **Experimental validation of advanced explosive/metal inte**
D. E. Lambert
Proc. SPIE **5920**, 592014 (2005) **Full Text:** [PDF (2219 kB)
pages)
- 65% 24. ☐ **Influence of backing and matching layers in ultrasound tr:**
performance
Valeria M. do Nascimento, Vera L. d. S. Nantes Button, Joaquim
Eduardo T. Costa, and Eduardo J. V. Oliveira
Proc. SPIE **5035**, 86 (2003) **Full Text:** [PDF (217 kB)] (
- 65% 25. ☐ **Acousto-optic-tunable-filter-based spectropolarimetric im**
medical diagnostic applications—instrument design point
Neelam Gupta
J. Biomed. Opt. **10**, 051802 (2005) **Full Text:** [HTML PDF
(6 pages)

[1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | Next 25 | More Results]



[home](#) | [proceedings](#) | [journals](#)

[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 – 2006



The International Society
for Optical Engineering